

## StumpBuster Mounts to 3-pt Hitch

Introducing StumpBuster™ tree stump cutter from Shaver Manufacturing. It carves out a new niche for affordable, PTO-powered stump grinding.



**SC-50** Grind through even the toughest stumps with ease. The Shaver SC-50 is the most powerful stump cutter in the Shaver lineup. Mounted to the 3-point hitch of any 35 to 100 horsepower tractor, the unit's 34" cutting wheel makes quick work of stumps, grinding them down to 12 inches below ground. The SC-50 - built for speed power and durability - features single direction cutting for longer bearing and gearbox life. The unit's new heavy-duty rubber shield protects the operator and deflects the debris into a clean mulch pile.



**SC-25** The powerful and durable PTO- driven StumpBuster is built to take on even the toughest stumps. Powered by a 15-35 horsepower tractor, the SC-25's 24" carbide-toothed cutting wheel can whittle away 24-inch-tall stumps in a matter of minutes. The unit's 980 rpm delivers high hub torque - enough to grind a 45-inch-diameter stump, into a hole 10 inches deep, in minutes. Repositioning the unit for another pass can also eliminate larger stumps. The StumpBuster's unique single-directional cutting design creates a more aggressive cutting pattern, quickly chewing through the stump. This design also improves bearing and gearbox life.

## The StumpBuster Mounts To Skid Steer Loaders



SC-50-H for 25 to 40 gpm high-flow Skid Steer loaders



SC-25-H for 15 to 25 gpm Skid Steer Loaders


## The StumpBuster Mounts To Bobcat Skid Steer Loaders



The SC-25-HU StumpBuster features a standard universal bracket and has been designed to be operated on Bobcat Models: 773, 773H, S175, S175H, S185, S185H, S250, S250H, 863, 863H, 873, 873H, 883, 883H, T190, T190H.

## Stumpbuster Mounts to 3pt Hitch

If you've got a tractor, you can cut through the stumps like butter! The inexpensive StumpBuster™ tree stump cutter mounts to the 3-point hitch of any 35-100 horsepower tractor • Power is supported from the PTO to the gear box. The gear box spins the 34" cutting wheel up to 895 RPM and delivers 450 foot pounds of hub torque • Shipping weight is 1020 pounds. • One person controls two hydraulic cylinders from the safety of the tractor cab to raise, lower and move the cutting wheel from side to side • the StumpBuster can reduce up to 24" tall stumps to mulch in minutes (depending on the size of the tractor). It can grind stumps all the way down to 12" below the ground surface • StumpBuster's 55 degree swing arc means it can handle Stump diameters up to 45" in one pass. You can grind longer stumps by repositioning the unit to take another pass.



### 1 Slip Clutch

Under this shield, the slip clutch protects shear bolts and shafts from abnormally severe shock loads.

### 2 Gear Box

Utilizes an oversized shaft and heavy duty roller bearings in oil bath.

### 3 Lift and Swing Cylinders

Hydraulically controlled from tractor cab.

### 4 Yoke Feet

Sit on the ground during operation for added stability.

### 5 Ground Assembly & Rubber Deflector

Chips and debris shoot away from the tractor.

### 6 Cutting Wheel

Made of 3/4" thick steel plate.

### 7 Cutting Teeth

Double carbide steel teeth.


### 8 Parking Stand

For off-tractor storage.

The StumpBuster cut in one direction, right to left (as viewed from the tractor seat). Twenty-one of 25 cutter teeth are positioned on the left side of the cutter wheel. Two cutter teeth are on the right, and two are straight. This creates a more aggressive cutting action as they chew into the stump. More teeth are used for each cutting pass, creating faster reduction with less wear. The teeth do all the work, not the wheel. Plus, the cutting force is always being pushed, instead of pushed and pulled. This extends bearing and gear box life.

+

## New Stump Cutter For Skid Steer Loaders



### SPECIFICATIONS

**Driver Systems:**  
Electric over hydraulic

**Hydraulic requirements:**  
25 to 40 gpm high flow

**Max. cutting diameter:**  
45 inches

**Max. cutting depth:**  
12 inches below ground

**Cutting arc:**  
55 degrees

**Cutting wheel diameter:**  
34 inches

**Cutting wheel speed:**  
795 rpm

## 4 REASONS THE HYDRAULIC STUMPBUSTER IS THE CHOICE OF TOP CONTRACTORS, LANDSCAPERS, AND MAINTENANCE DEPARTMENTS

### MANEUVERABILITY

With skid-steer loader maneuverability, stumps can no longer hide next to buildings, storage sheds, fencerows or along hillsides or sidewalks. The hydraulic StumpBuster is ideal for landscaping contractors and builders looking to make quick work of one or dozens of stumps. The hydraulically powered cutter eliminates any type of stump - tall or short, hardwood or soft - up to 45-inches in diameter without the need to reposition the unit. And, because it's skid-steer-loader-mounted, you have the front end visibility to quickly maneuver around even the biggest-diameter stumps - or clean up a whole grove in no time.

### POWER

The StumpBuster's hydraulic motor powers the 3/4-inch steel cutting wheel to an impressive 795 rpm, easily turning the hardest hardwood stumps into fine mulch. The combination of a large 34-inch diameter cutting wheel and high hub torque cut a full 55-degree swath 12-inches deep in less than 2 minutes.

### DURABILITY

Carbide steel teeth aggressively chew through stumps with little wear. Single direction cutting puts less stress on the cylinder, bearings and gear box. Heavy-duty bearings also ride in an oil bath, virtually eliminating friction-wear. Two frame-mounted stabilizer legs provide added support - especially on uneven ground.

### SIMPLICITY

Shaver's unique Fast-Tach system allows quick and easy operator hook-up. A single toggle switch mounted to the skid steer loader allows the operator to move from stump to stump without leaving the skid steer loader. The 2-1/2" swing cylinder and hydraulic hoses are standard sizes for easy repair or replacement. The teeth are easy to access and replace using a standard size wrench.